

PUBLIC INTERNATIONAL TENDER LAPTOPS

TECHNICAL ANNEX

	_	1 4	
1	(al	ΙД	ıim
	Cui		

2. Offer

2.1. Presentation and way to quote

2.2. Documentation

2.3. Samples

3. Warranty

3.1 Dead on Arrival

3.2 Systemic Failures

4. Delivery time period and conditions

5. Quality controls

6. Requirements

7. Technical Evaluation Criteria of the device

7.1. Background Evaluation

7.2. Compliance with mandatory requirements

7.3. Sample Evaluation

7.3.1 Performance, multimedia and user experience

7.3.2 Maintenance

8. ANNEX I: Price Tables

9. ANNEX II: Confidentiality and data protection



June 2023

1. Call Aim

Centro Ceibal calls for a public international tender for the acquisition of up to 150.000 laptops for delivery to beneficiaries of the Plan. The tender document is divided into two categories, the bidder may quote in a single category or in both:

- 1. Laptops with Intel processors, with performance equal or superior to the Celeron N4500.
- 2. Laptops with Intel processors, with performance equal to or higher than the Celeron N4120.

Devices with CPU with performance higher than N4120 can only be offered in Category 2.

The devices offered must be manageable with the Microsoft Intune tool.

The final product will include a software image based on the Windows Pro Education operating system developed jointly by Ceibal and the awarded bidder. In addition, the bidder shall quote separately for the development of an **additional** software image, which Ceibal may request if needed.

The bidder must quote the equipment in maritime shipment mode (CIF MVD) and the spare parts in FOB Origin mode.

In addition, the bidder shall quote the differential for the following technological improvements:

- 8GB RAM
- 128GB of storage

These requirements are of mandatory quote and optional award.

You may also optionally quote the following enhancement:

- USB Type C Charger with Power Delivery.

The offer must be submitted in accordance with the specifications in section 2. OFFER.

All products purchased from the bidder and / or all the services provided by the bidder are governed by the confidentiality and data protection considerations specified in *Annex II: Confidentiality and data protection*.

2. Offer

A maximum of 2 models can be offered per category. All documentation submitted must be segmented identifying each product by its corresponding model in the technical and economic offers.



2.1. Presentation and way to quote

The technical offer will be included in a file with a password, this file will be presented segmented into the following folders:

- 1. Folder with factory background specification. It should be detailed:
 - Factory that will produce the devices offered.
 - General production volume of the factory in the last 12 months.
 - Production volume of laptops at the factory in the last 12 months.
 - Slot time to start production (acquisition of raw material and preparation of production line).
- 2. Folder with background of the bidder. It should be detailed:
 - Background of provision of similar consumer electronic devices in the last 12 months.
 - Background of educational projects in which you have participated.
 - List of clients and respective contacts,
- 3. Folder with all the tables of section 6. REQUIREMENTS completed, for each product offered.
- 4. Folder with the documentation requested in section 2.2 DOCUMENTATION for each laptop model offered.
- 5. Folder with warranty specifications as requested in section 3. WARRANTY.
- 6. Folder with the specification of delivery times as requested in section 4. DELIVERY TERM AND CONDITIONS.
- 7. (Optional) Folder with the complementary technical information that the bidder considers pertinent to provide.

The economic offer will be presented segmented in the following folders, in a separate file and with a password:

- 1. Folder with the tables completed in *Annex I: Price tables* for the corresponding device category.
- 2. (Optional) Folder with the price of additional guarantee, if offered.
- 3. (Optional) Folder with additional quotes to those specified above, if applicable.

2.2. Documentation

The documentation that must be included in the technical offer documentation folder, for each model offered, is the following:

	DOCUMENTATION					
	MANDATORY WITH THE OFFER					
2.2.1	2.2.1 TECHNICAL SPECIFICATIONS Technical specifications of each model offered.					



2.2.2	DISASSEMBLY TECHNICAL DOCUMENTATION	Technical document detailing the complete disassembly procedure for the device.				
2.2.3	MOTHERBOARDS COMPONENT SUPPLY	Indicate if the bidder can provide the motherboard components that will be detailed in the BAI (see documentation requirement 2.2.12).				
2.2.4	TECHNICAL DOCUMENTATION TO INSTALL AND CUSTOMIZE FIRMWARE AND OPERATING SYSTEM	Technical document that details tools and procedures to customize and install the firmware and operating system of the device. Specify the type of modifications that can be made at the Firmware level. As a reference, for the development of the software image, Plan Ceibal currently uses WinPE and Windows Configuration Designer.				
2.2.5	SERIAL NUMBER CONFIGURATION	Serial number configuration tool and procedure.				
	OPTIONAL WITH THE OFFER					
2.2.6	WIFI ALLIANCE CERTIFICATIONS	WiFi Alliance certifications of the network card offered.				

The following documentation is mandatory with each shipment of equipment, or with each change of hardware, as applicable:

	MANDATORY WITH EACH SH	HIPMENT and / or HARDWARE CHANGE, as applicable
2.2.7	ROHS CERTIFICATE	RoHS standard compliance certificate. (It is NOT required to present the detailed documents with the test protocols applied).
2.2.8	FCC CERTIFICATE	Certificate of compliance with FCC standard. (It is NOT required to present the detailed documents with the test protocols applied).
2.2.9	ENERGY STAR (or equivalent)	Energy Star certificate (or equivalent) of the equipment (laptop/charger) (It is NOT required to present the detailed documents with test protocols).
2.2.10	BILL OF MATERIALS (BOM)	Worksheet with all the hardware components that make up the device, each with a code that identifies it, including the case and any other individual component that can be replaced in case of failure.
2.2.11	SCHEMATICS, LAYOUT and BAI	Schematics, layout and board assembly information (BAI) of the motherboard in digital format. This information will be delivered once production has started (or at the latest prior to the first shipment) and each time the successful bidder notifies a hardware change.
2.2.12	EXPLODED VIEW DRAWING	Technical drawing of the assembly and relationship between all the atomized parts of the equipment, each one identified with a code. This information will be delivered once production has started (or at the latest prior to the first shipment) and each time the successful bidder notifies a hardware change.
2.2.13	DATA SHEETS	Data sheets of main components of the device such as battery, screen, camera, etc., and of main components of the motherboard such as integrated circuits and connectors.
2.2.14	BATTERIES MSDS	Battery Material Safety Data Sheet (MSDS).
2.2.15	CHARGER: ROHS CERTIFICATE	Certificate of compliance with the RoHS standard of the charger, in case it is not included in the RoHS certificate of the device. (It is NOT required to present the detailed documents with the test protocols applied).
2.2.16	CERTIFICATES EN60950 (or its updates)	Certificate of compliance with standard EN60950 (or its updates), Information technology equipment - Safety, laptop and charger. (It is NOT required to present the detailed documents with the test protocols applied).
2.2.17	CERTIFICATES IEC61000 (or its updates)	Certificate of compliance with standard IEC 61000 (or its updates), Electromagnetic compatibility (EMC), laptop and charger. (It is NOT required to present the detailed documents with the test protocols applied).



2.2.18	CERTIFICATES EN55022 (or its updates)	Certificate of compliance with standard EN55022 (or its updates), Information technology equipment Radio disturbance characteristics, laptop and charger. (It is NOT required to present the detailed documents with the test protocols applied).
2.2.19	DEVICE SHEET	Device information sheet (see description in this section).
2.2.20	LOGISTICS SHEET	Logistics information sheet (see description in this section).

The

informati	on sheets required with each shipment are described below:
• DEVI	CE SHEET (Requirements 2.2.19)
	O Part number.
	O Serial number.
	O Pallet number / master box number in which the device is shipped.
	MAC addresses of all network cards the device has (for example, WLAN, Ethernet Bluetooth).
	 Part number and serial number of the main components (minimum: motherboard display and battery).
	O HARDWARE HASH of the equipment obtained at the factory. The hash is ar
	alphanumeric code associated with the hardware, necessary for the equipment to be
	managed by Intune. The procedure in force at the date of publication of this documen
	can be found in the following link to the Microsoft documentation:
	https://learn.microsoft.com/es-es/mem/autopilot/add-devices%23collect-the-
	<u>hardware-</u>
	$\underline{hash\&sa=D\&source=docs\&ust=1684950648623353\&usg=AOvVaw1OR86SKS7b7Lnvd}$
	m8RDiG5
• LOGI	STICS SHEET (Requirement 2.2.20)
	O Individual box measurements.
	O Individual box weight.
	O Master box measurements.
	O Master box weight.
	O Number of individual boxes per master box.
	O Number of master boxes per pallet.
	O Pallet height.

2.3. Samples



At the time of the presentation of the offers, **FIVE** identical samples of each model of laptop offered in each category must be delivered, with their chargers, with Windows operating system. **All laptop and charger samples must be properly identified according to the following guidelines:**

3 letters to identify bidder
Model offered
Technical category of the specification in which the device is offered
Processor
RAM Memory
Storage capacity
Sample No.

Samples must be delivered to the reception desk at Centro Ceibal's offices (Av. Italia 6201 Edificio Los Ceibos, Monday through Friday from 9:00 a.m. to 5:00 p.m.), As an example, sample 1 of model XYZ offered by ABC in category I of the bidding documents, should be labeled: ABC-XYZ-I-N4500-4GB-64GB-1.

Ceibal reserves the right not to accept samples that are not properly identified.

Reference shall be made to the Tender, and Ceibal shall deliver a proof of receipt to be signed by Ceibal and by whoever delivers the samples.

In exceptional cases and when there are justified reasons in the opinion of Ceibal, the bidder may defer the delivery of samples for a reasonable period that Ceibal will evaluate.

A fundamental part of the technical evaluation will be carried out on these samples (see section 7. TECHNICAL EVALUATION CRITERIA). The specifications and performance of the final product cannot be less than the sample. This aspect will be verified in the quality controls that determine the acceptance of the product.

Some tests to be carried out with the samples may result in their destruction, and those that are not destroyed may be returned in different conditions with respect to which they were delivered. The bidder will have 4 weeks from the award to pick the submitted samples. Once the previous term has expired without having withdrawn them, Centro Ceibal may freely dispose of them, without the right to claim on the part of the bidder.

Warranty

The following warranty conditions are mandatory:

3.1 Dead on Arrival

Warranty for replacement of devices with failure due to DOA for a period of 90 days from arrival: 5 laptops every 1000.

3.2 Systemic failures

Ceibal may request from the successful bidder the necessary spare parts or the replacement of equipment in the event that a systemic failure attributable to the design or manufacture of the



equipment is detected. The costs derived from the execution of this guarantee are the sole responsibility of the supplier.

In the event that the bidder presents **additional** guarantees, they must be detailed in their technical proposal. If the additional guarantee conditions proposed by the bidder imply additional costs, these must be presented in the economic offer, quoted separately.

The bidder will guarantee that the products supplied under the contract are new, complete, unused and free from defects attributable to design, materials, manufacture, storage conditions (packaging, appropriate temperature and humidity), transfer or any other act or omission of the bidder that could manifest itself on the occasion of the normal use of the products under the prevailing conditions in the country.

4. Delivery time period and conditions

4.1 Delivery time period

TWENTY identical samples of the awarded model must be submitted for repair training before February 1, 2024. These 20 samples are not part of the awarded lot and are at the supplier's expense.

The following maximum delivery time period is desirable:

- ETA of 50% of the awarded lot: 120 calendar days after the adjudication resolution is communicated.
- ETA of the remaining 50% of the awarded lot: within 30 calendar days after delivery of the first 50%, or April 15, 2024, whichever occurs before.

These deadlines include all product development, production, and shipping.

In case of not being able to comply with these maximum deadlines, the bidder must specify the delivery time period in his offer. The same delivery time period applies for both laptops and spare parts.

4.2 Delivery conditions

All devices sent to Ceibal must be made up of the same components. In the event that this cannot be fulfilled, the successful bidder must notify Ceibal in writing within a period of no less than 60 days and Ceibal must validate the new BOM.

The successful tenderer must deliver the devices in compliance with the following specifications:

•	Each pa	llet must be labeled with the following information:
	0	Device model / lot / batch (pallets containing more than one device model will not be
		accepted).
	0	Pallet number / total pallets in the lot.
	0	Number of master boxes on pallet.
	0	List of master boxes that make up the pallet.
•	Each ma	ster box must be labeled with the following information:
	0	Device model / lot / batch.



	O Number of master boxes / total of master boxes in the batch.
	O Serial number (barcode and alphanumeric) of each device in the master box.
	O Product description
•	Each individual box should be labeled with the following information:
	O Device model.
	O Serial number (barcode and alphanumeric) of the device.

The design of each individual box and each master box must be customized according to specifications that will be agreed between Centro Ceibal and the successful bidder.

Centro Ceibal may request the inclusion of a printed brochure with recommendations for use and care of the equipment in each individual box.

5. Quality controls

Centro Ceibal will carry out three quality controls on the awarded products that may partially or totally reject the inspected lots. These three inspections are:

- 1. Inspection at origin prior to shipment
- 2. Validation of *golden samples* that the successful bidder will send to be evaluated at Centro Ceibal (10 pieces of equipment from each batch produced, sent by air freight at the bidder's expense).
- 3. Final inspection in Ceibal after receiving the shipment.

Centro Ceibal, or a representative that it designates, may visit the factory before and / or during the production of the batches for Ceibal, prior coordination between the parties and independent of quality controls. Centro Ceibal may also request a visit to the manufacturer to work together during the software image development process.

6. Requirements

	HARDWARE					
						SPECIFICATIONS AND
	MANDATORY REQUIREMENTS			YES	NO	OBSERVATIONS
611	DDOCECCOD.	Brand: Intel.				
6.1.1	PROCESSOR	Category I	Minimum Reference Performance according to			



1	Ī	1	1	1	1
			cpubenchmark.net: Celeron N4500		
		Category II	Minimum Reference Performance according to cpubenchmark.net:Celeron N4120		
C	SCREEN	Size: 11.6 ". S	pecify whether the screen has a matte or glossy surface.		
6.1.2	SCREEN	Minimum Res	solution: 1366×768.		
6.1.3	RAM MEMORY	Minimum: 4G removable.	B DDR3. Specify if the component is onboard or		
6.1.4	INTERNAL STORAGE		the connection interface of the card to the motherboard SATA) and indicate if the component is onboard or		
		Headphone of connector (TR	utput and external microphone input through the same RRS 3.5mm).		
6.1.5	MULTIMEDIA	Built-in micro	phone and speakers.		
		Camera: Mini	mum UXGA or Full HD. 1.9MP.		
6 4 6	INDUT METHODS	QWERTY keyb	poard with distribution in Spanish language.		
0.1.6	INPUT METHODS	Touchpad.			
		USB: Minimur	m 2 ports USBA 3.0 and 1 port USBC.		
6.1.7	PORTS	HDMI video o	utput.		
		microSD card	reader		
6.1.8	CONNECTIVITY	802.11ac (5GI	2 dual-band network card: 802.11n (2.4 GHz) and Hz). WPA2 Personal/Enterprise security. Specify the connecting the card to the motherboard.		
		Bluetooth 4.0			

	FIRMWARE						
	MANDATORY REQUIREMENTS			PLIES	SPECIFICATIONS AND		
			YES	NO	OBSERVATIONS		
6.1.9	SECURE BOOT	The UEFI firmware must have the Secure Boot module disabled and editable.					
6.1.10	FIRMWARE CONFIGURATION	The firmware must be configurable. In particular, it is of interest to disable the possibility of setting any boot password and the possibility of setting any password for access to the mass storage media. The final configurations of the FW parameters will be defined by Ceibal prior to production.					
6.1.11	SERIAL NUMBER RECORDING SOLUTION	The bidder must provide a solution that allows a specific serial number to be recorded in a motherboard repair process.					



	SOFTWARE					
					SPECIFICATIONS AND	
	MANDATORY REQUIREMENTS			NO	OBSERVATIONS	
6.1.12	OPERATING SYSTEM	Windows 11 Pro Education				
6.1.13	MICROSOFT INTUNE COMPATIBILITY	The equipment must meet the necessary firmware, software or hardware requirements, so that the Windows partition is managed through the Microsoft Intune tool of the Ceibal tenant				
6.1.14	LANGUAGE	Operating system and all its interfaces and configuration options in Spanish.				
6.1.15	CUSTOMIZATION AND INSTALLATION TOOLS	The bidder must deliver the tools detailed in documentation requirements 2.2.4 and 2.2.5 for firmware and operating system customization, and for operating system installation on various computers.				
6.1.16	SOFTWARE IMAGE DEVELOPMENT	The bidder must assist Ceibal throughout the process of elaboration, configuration and customization of the software image signed by Ceibal.				
		DESIRABLE REQUIREMENTS	COMPLIES		SPECIFICATIONS AND	
	DESIRABLE REQUIREIVIENTS		YES	NO	OBSERVATIONS	
6.1.17	HARDWARE TEST	Software or firmware tool that allows verification of the device's integrated peripherals and ports. This tool must be available in Spanish and / or English. For details of the characteristics sought, see section 7: Technical evaluation criteria.				

	LOGISTICS					
		MANDATODY DECLIDEMENTS	COMPLIES		SPECIFICATIONS AND	
	MANDATORY REQUIREMENTS		YES	NO	OBSERVATIONS	
	CEIBAL LOGO AND	Ceibal will specify the logo and fantasy name of the model, which must be printed on the housing by laser, silkscreen or another printing method, labels will NOT be accepted. This print must meet the following durability criteria:				
6.1.18	FANTASY NAME OF THE MODEL	Clearly visible on housing.				
		Indelible before the application of alcohol.				
		Not removable when sticking and peeling packing tapes.				
6.1.19	SERIAL NUMBER and BARCODE	Unique Serial Number (SN) and corresponding barcode printed on housing by laser, silkscreen or other printing method. The same considerations apply as for requirement 6.1.18 CEIBAL LOGO AND FANTASY NAME OF				



		THE MODEL. The barcode must have sufficient contrast to be read by barcode readers. Labels will NOT be accepted.		
		The serial number must be obtainable by software through a procedure that the bidder will indicate.		
		The serial number obtainable by software must be configurable using a tool and procedure that the bidder will specify. This requirement is necessary so that the serial number printed on the housing and the serial number obtained by software match on a machine after a repair in which the motherboard was changed (See requirement 2.2.6 SERIAL NUMBER CONFIGURATION)		
		The following components must have a barcode or QR code that allows the part number to be scanned (applies both to the parts included in the equipment and to individual spare parts):		
6.1.20	PARTS IDENTIFICATION	Battery		
		Motherboard and Screen. Additionally, they must have a similar label or engraved by laser or silkscreen (with scannable codes) with the part number and serial number information.		
6.1.21	ECO FRIENDLY PACKING	The design of the packing must be ecofriendly, cardboard and biodegradable nylon.		

	CHARGERS						
	COMPLIES SPECIFICATIONS AND						
		MANDATORY REQUIREMENTS	YES	NO	OBSERVATIONS		
6,1,22	HOUSING	Material: ABS plastic or similar with good impact resistance. It shall withstand a fall from a height of 1 meter onto a surface covered with wood.					
		The charger can only be opened by a destructive process. It must be sealed and must not have screws that allow it to be opened by the user.					
6.1.23	6.1.23 PLUG 220VAC	Europlug CEE 7/16 220VAC 2.5A 2 legs. In case the adapter is WALL type, it must have the orientation of pins as the image 1.					
		Insulation on 220VAC plug contacts. Reference image 1.					
6124	PINS REMOVAL FORCE	The pins can only be removed from the body of the charger if a force greater than 40kgf is exerted.					
0.1.24		Force on housing surfaces: The external housing must withstand a force of 25Kg on a 30mm circular surface for 5 sec without causing damage.					
6.1.25	DC CABLE	The cable is attached to the adapter and is not detachable. Length 200 cm \pm 50 cm.					
0.1.25	DC CABLE	Reinforced: Internal cables encapsulated in plastic sheathing. Reference image 2.					



		Strain Relief: Presence of a strain relief at both ends of the cable (charger input and DC connector). Reference image		
	ELECTRIC	Input: 100 - 240 VAC		
6.1.26	CHARACTERISTICS	A tolerance of 5% should be maintained for the specified nominal conditions.		
6.1.27	DC CONNECTOR	The connector shall ensure correct and firm coupling with the equipment.		
6.1.28	CEIBAL LOGO	Ceibal will specify the model's logo and fantasy name. In addition to this information, the production lot and charger electrical specifications must be printed on the housing by laser, silkscreen or other printing method, labels will NOT be accepted. The same considerations apply as for requirement 6.1.18 CEIBAL LOGO AND FANTASY NAME OF THE MODEL.		

Illustrative images, as examples only, for requirements 6.1.23 and 6.1.25.

Image 1:





Image 2:




Image 3:





	LAPTOP CERTIFICATIONS				
		MANDATORY REQUIREMENTS	сом	PLIES	SPECIFICATIONS AND
		YES	NO	OBSERVATIONS	
	Restriction of Hazardous Substances	Documentation proving the RoHS certification of the device or all its components will be required as a requirement for acceptance of production batches.			
6.1.30	Federal Communications Commission Declaration of Conformity	Documentation supporting FCC certification will be required as a requirement for acceptance of production batches.			



6.1.31	Information technology equipment - Safety	Documentation proving compliance with the EN60950 standard (or its updates) will be required as a requirement for acceptance of production batches.		
6.1.32	Electromagnetic compatibility (EMC)	Documentation proving compliance with the IEC61000 standard (or its updates) will be required as a requirement for acceptance of production batches.		
	Information technology equipment. Radio disturbance characteristics.	Documentation proving compliance with the EN55022 standard (or its updates) will be required as a requirement for acceptance of production batches.		
6.1.34	Energy Star (or equivalent)	Documentation of Energy Star (or equivalent) compliance will be required.		

	CHARGERS CERTIFICATION					
	COMPLIES					
	MANDATORY REQUIREMENTS		YES	NO	OBSERVATIONS	
6.1.34	Restriction of Hazardous Substances	Documentation proving the RoHS certification of the charger will be required, in case the charger is not included in the RoHS certification of the device, as a requirement for acceptance of production batches.				
6.1.35	Information technology equipment - Safety	Documentation proving compliance with the EN60950 standard (or its updates) will be required as a requirement for acceptance of production batches.				
6.1.36	Electromagnetic compatibility (EMC)	Documentation proving compliance with the IEC61000 standard (or its updates) will be required as a requirement for acceptance of production batches.				
6.1.37	Information technology equipment. Radio disturbance characteristics.	Documentation proving compliance with the EN55022 standard (or its updates) will be required as a requirement for acceptance of production batches.				
6.1.38	Energy Star (or equivalent)	Documentation of Energy Star (or equivalent) compliance will be required. (Applicable in case not covered in 6.1.34)				

	SPARE PARTS	
Spare Part	Estimated percentage of factory failures	Observations (*)
Keyboard		
Screen		
Battery		
Motherboard.		
Charger		
RAM Memory		
Internal Storage		



^(*) Specify whether the source spare part includes other parts of the device. For example, motherboard with / without integrated peripherals, etc. In the case of the boards, indicate if the spare parts contain accessories such as: heat sinks, pads, insulating sheets or similar.

7. Device technical evaluation criteria

The evaluation of the technical offer includes the following device evaluation criteria:

- Background evaluation.
- Evaluation of compliance with requirements.
- Evaluation of samples:
 - O Performance, Wi-Fi and multimedia evaluation
 - O User experience evaluation
 - O Maintenance evaluation
- Evaluation of compliance with software requirements.

7.1. Background Evaluation

The evaluation of the technical offer includes the following device evaluation criteria:

Background evaluation. It will be evaluated:
--

- O The Factory background
- O The Background of the bidder
- Factory visit. Centro Ceibal may request a visit to the factory that the bidder specifies in his offer. The objective of this visit is to check the capacity of the factory to meet the volume of production in quality and deadlines. When presenting itself, the bidder guarantees that the factory will allow access to Ceibal, or to a representative designated by it, so that the corresponding evaluation can be carried out, if Ceibal requests it. For this evaluation it will be needed:

\cap	Free access to the	company's	manufacturing	facilities and	1 offices

- O Free access to take photographic and videographic records of the facilities, both inside and outside the factory buildings.
- O Free access to documentation linked to current quality and management certificates.
- O Free access to documentation related to legal records of the company.

7.2. Compliance with mandatory requirements

Any offer that does not meet any of the mandatory requirements requested in the corresponding category of section 6. REQUIREMENTS will be discarded.



7.3. Sample Evaluation

7.3.1 Performance, multimedia and user experience

Hardware performance and overall device usage experience will be evaluated. The evaluated aspects are: camera, screen, audio, video, WiFI, autonomy of the device in battery operation, disk reading / writing, CPU performance, among others.

7.3.2 Maintenance

The maintenance evaluation analyzes the suitability of the device for the user and the characteristics of the support service provided by Ceibal, and the quality of the documentation associated with maintenance requested in section 2.2 DOCUMENTATION, such as, for example, a description of the maintenance procedures, disassembly and procedures for installation and configuration of firmware and operating system. In addition, the maintenance of the equipment also requires the delivery of additional documentation that will be requested at the time of the production of the devices (BOM, Exploded-view drawing, schematics, etc.)

As general characteristics, a robust and easy-to-repair device is sought, both in terms of the time it takes to repair and its technical complexity.

Among the aspects to be evaluated, the following stand out:

Firmware customization

Flexibility to configure BIOS / UEFI parameters, for example, through a management platform provided by the firmware vendor.

Presence of internal battery

Independent power supply to maintain certain factory data, even when the battery is discharged, the loss of which may affect the normal operation of the device.

Fragile module assembly

Easy to disassemble fragile modules, for example screen, internal battery, keyboard, antennas, etc., in order to minimize the risk of breakage. It is desirable that the assembly of these modules is not done with adhesive materials.

Disassembly and assembly complexity



Design that allows a simple assembly and disassembly process, with minimal risks on the components that are removed and replaced. For example, the following considerations contribute to the ease of the process:

- Presence of guides for the conduction of internal cables that avoid the use of adhesive tapes.
- Low diversity of screws and easily identifiable, for example, by color coding and / or printing the screw size on PCB.
- Modularity: design that allows removal and replacement of modules without the need to remove other modules.

Screw anchors

Robust screw anchors to withstand wear and tear from multiple removals.

Safety

Design that prioritizes the safety of the user. For example, safety mechanisms due to excess battery temperature. Protections to avoid splinter dispersion when the screen is broken, the possibility of accessing the battery cells, etc.

Length of internal cables

Appropriate length of internal cables in order to avoid unnecessary tension in the connection to the motherboard or excessive dispersion of the cables inside the equipment.

Internal connectors

Peripherals connection to the motherboard using removable connectors and NOT by soldering, as it makes repair processes difficult. Equipment with welded peripherals can only be repaired centrally, which makes the distributed repair modality implemented by Ceibal impossible.

External connectors

The external connectors are accessible to the user so it is important that they are robust to withstand external pressure. Some aspects to consider are:

- Connectors with correct coupling to avoid unnecessary pressure being exerted on them, and even reinforced by the plastic of the housing or supports for this purpose.
- Connectors in independent modules that connect to the motherboard, so that in the event of a connector breakage, it is not necessary to remove and replace the entire motherboard.



- Small SMD connectors such as micro USB, audio connectors, micro HDMI, etc, with at least four anchor points to the motherboard.
- Connectors assembled in a board-cut configuration that make contact with the motherboard at the rear of the connector, providing an additional point of support for the connector.
- Reinforced structure of the metal body of micro USB connectors, for example, by spot welding or by its constructive design.
- Reversible connectors, such as micro USB type C.

Touchpad

Independent left and right touchpad buttons.

Battery

External laptop batteries so that they are replaced without the need to disassemble the equipment. At the same time, the module is fixed to the outer housing of the device in such a way that it is difficult to remove by the user. For this, screw connections are preferable rather than mechanical solutions.

Hardware Test

Requirement 6.1.17 is a desirable requirement that adds value to the repair process. An application or functionality is sought, at the software or firmware level, that allows to facilitate the diagnosis of the device's peripherals in a simple and controlled way. Here are some of the features sought in this tool:

erals in a sir	nple and controlled way. Here are some of the features sought in this tool:
Featu	res:
	Sequential mode where all the tests are executed.
(Manual mode where it is allowed to run a specific test.
(At the end of each test, it must allow the technician to decide if the result is acceptable or not.
(Allows you to skip Test or go back to the previous one manually.
(Have a LOG with the results of all the tests.
• Tests:	
(Neyboard Test: It allows the functional verification of the activation of all the keyboard keys.
(Bluetooth Test: It Activates Bluetooth and recognize nearby devices.
(WiFi test: It Activates WiFi, recognize nearby access points and connect.
(Display Test: It Shows sequence of colors and patterns in full screen, to detect defects in the image.
(Audio Test: It Allows verification of the following components: Speakers Headsets Microphone.
(Backlight Test: It Shows variation in screen brightness.



	buttons.
0	Camera Test: It Activates the camera (s) allowing you to take and save a photo.
0	Battery Test: It Displays the relevant information to know the health of the
	Battery. Some parameters are:
	■ Tension
	Level and state of charge or discharge
	Current capacity and design capacity
	Current flow to or from the battery.
0	\ensuremath{SD} card and USB ports test: It Checks the correct reading and writing on
	removable media.
0	Suspension test: It Verifies activation of the equipment's closed detection
	sensors.
0	Storage Test: It Checks the correct reading and writing on the internal disk.
0	Device Information: It Displays device manufacturing information, such as:
	 Name of the device
	Firmware version
	Serial number
0	Flash Test (if applicable to the model): It Allows turning on the LED used as the
	camera's flash

O Touchpad and button test: It Allows you to verify operation, range of action and sensitivity of the touchpad, as well as the activation of both mouse

8. ANNEX I: Price Tables



	LAPTOPS - MANDATORY QUOTATION (*)			
CATEGORY	MODEL	VOLUME	UNIT PRICE, SEA SHIPPING (US\$ CIF MVD) INCOTERM 2020	OBSERVATIONS
		Up to 10.000		
I: LAPTOPS WITH		between 10.001 and 50.000		
CELERON N4500 OR HIGHER CPU		between 50.001 and 80.000		
PERFORMANCE		between 80.000 and 120.000		
		More than 120.000		
		Up to 10.000		
II: LAPTOPS WITH CPU		between 10.001 and 50.000		
PERFORMANCE OF CELERON N4120 OR		between 50.001 and 80.000		
ABOVE		between 80.000 and 120.000		
		More than 120.000		

^(*) For the quotation of this equipment, take into account the Letter of Eligibility from Microsoft's Shape the future program.

HARDWARE UPGRADES - MANDATORY QUOTATION				
COMPONENT	VOLUME	UNIT PRICE, SEA SHIPPING (US\$ CIF MVD) INCOTERM 2020	OBSERVATIONS	
	Up to 10.000			
	between 10.001 and 50.000			
8GB RAM MEMORY	between 50.001 and 80.000			
	between 80.000 and 120.000			
	More than 120.000			
	Up to 10.000			
	between 10.001 and 50.000			
128GB STORAGE	between 50.001 and 80.000			
	between 80.000 and 120.000			
	More than 120.000			
HARDWARE UPGRADES - OPTIONAL QUOTATION				



	Up to 10.000	
	between 10.001 and 50.000	
USB TYPE C CHARGER WITH POWER DELIVERY	between 50.001 and 80.000	
	between 80.000 and 120.000	
	More than 120.000	

DEVELOPMENT AND CERTIFICATION OF MAINTENANCE SOFTWARE IMAGE- MANDATORY QUOTATION			
PRICE US\$			

SPARE PARTS - MANDATORY QUOTATION			
SPARE PART	UNIT PRICE, US \$ FOB ORIGIN	MINIMU M BATCH	
Keyboard			
Screen			
Battery			
Motherboard.			
Charger			
RAM Memory			
Internal Storage			

Prices quoted for spare parts will be valid for 12 months from the date of award.



9. ANNEX II: Confidentiality and data protection

The Company that is awarded the contract expressly undertakes to keep in the strictest confidentiality all the information that it processes or uses during its relationship with Centro Ceibal. Confidential Information includes, among others, by way of example, the following information: all commercial strategy, plan and procedure, proprietary information, software, tool, process, images, personal data, methodology, information and trade secret, and other information and material Ceibal, as well as the students, beneficiaries, teachers, study centers, which could be obtained by the Company from any source or could be developed as a result of this contract.

In the event that the bidder accesses personal data, they must inform in their offer where they host the data as well as their privacy and data security policy. In this case, it is obliged to process the personal data to which they have access in accordance with Law No. 18,331, of August 11, 2008 and Decree No. 414/2009, of August 31, 2009, only for the provision and in the framework of the contracted service, not being able to use them for any other purpose, nor for their own benefit, whether free or onerous, nor assign them, communicate them or transfer them to third parties, except with prior authorization from Centro Ceibal.

In no case may access to personal data be understood as an assignment or permission for its free use by the selected bidders.

Likewise, they are obliged to adopt the necessary security measures to guarantee the security and confidentiality of personal data and prevent their adulteration, loss, consultation or unauthorized treatment, as well as detecting deviations of information.

In the event that personal data is housed, even temporarily, outside the national territory, the importer must be in countries considered to have adequate levels of European data protection standards, in accordance with Directive 95/46 / CE, of the European Parliament and of the Council, modifying, concordant and complementary.

At the end of this contract, they are obliged to return or delete from all their systems and physical and logical files, whether they are their own or contracted to third parties, the personal data accessed, obtained or processed under this contract, as well as the associated metadata, if applicable.

Information of any type referring to specific or determinable natural or legal persons, by way of example, any numerical, alphabetical, graphic, photographic, acoustic or any other type of information that refers to them directly or indirectly, in accordance with the provisions, is considered personal data provided in Article 4 of Law No. 18,331 and Articles 1 and 4 of Decree No. 414/009.